



06

THE SELECTION



FICODIS

La compagnie de distribution de fournitures industrielles





TOOLS

P. 3-16

L'éditorial

Dear Customer,

We are pleased to introduce to you the sixth edition of our Selection. Since our last Selection, the Ficodis Group has continued to develop quickly in order to provide you with more locations, technical expertise and access to the most recognized product lines on the market.

With the acquisitions of Outils Plus MJ and TH Pelletier, our selection in the Quebec City area has become much stronger and more diversified with expertise in hand tools, power tools and pumps.

Varco, a company specializing in cutting tools and vending machines, is located in one of the most dynamic regions of Ontario: the Highway 401 corridor. It is the latest company to join the Group, bringing with it a valuable perspective.

Establishing itself as a true multi-specialist, the Group is organized around 4 major specialties: TOOLS, SAFETY, CUTTING TOOLS, AND POWER. This focus is at the heart of our development and it is around this that we are organizing the growth and development of our product lines.

The 06 Selection is our most up-to-date and complete offer, with 48 pages gathering more than 400 items divided into 4 specialties. With the help of our supplier partners, we have used our expertise to outline the best products available.

Finally, this collection will give you the opportunity to discover a sampling of our own product brand CROMSON. Designed by our teams, with a focus on innovation and efficiency, its motto is EXPERTISE-QUALITY-INNOVATION. You will be able to participate in its evolution and development, contributing to its success!

We hope you enjoy discovering all the details of this impressive Selection 06!

Best regards,

Christophe Bévillard
President



SAFETY

P.17-24



CUTTING TOOLS

P.25-38



POWER

P.39-47

Despite the care that has been dedicated to the preparation of **THE SELECTION**, errors could have occurred. In case of disparity between the prices of the showcased items in the magazine and those displayed in store, the latest will prevail.

*Discover
products
selected by
our specialists*



TOOLS

2-Tool Combo Kit

439⁹⁵ \$

- Kit includes:
- M18 FUEL 1/2 in Hammer Drill/Driver
 - M18 FUEL Hex Impact Driver
 - (2x) REDLITHIUM XC 5.0 Extended Capacity Battery Pack
 - M18 & M12 Multi-Voltage Charger
 - Belt Clip
 - (2x) Bit Holder
 - Side Handle
 - Carrying case



Thermal camera

619⁹⁵ \$

- Sensor: 7,854 pixels (102x77)
Display: 320 x 240 pixels
Range: -10 C to -330 C (14 F to -626 F)
Voltage: 12V



Reciprocating saw blades for metal

79⁹⁵ \$

- 6 x 1/2 po - 18 teeth per inch - Pack of 25
48-00-8784 0000074998
- 9 x 1/2 po - 18 teeth per inch - Pack of 25
48-00-8788 0000074999
- 12 x 1/2 po - 18 teeth per inch - Pack of 25
48-00-8789 0000075000

109⁹⁵ \$

119⁹⁵ \$

Reciprocating saw blades for wood

79⁹⁵ \$

- 6 x 1/2 po - 5 teeth per inch - Pack of 25
48-00-8021 0000075001

99⁹⁵ \$

- 9 x 1/2 po - 5 teeth per inch - Pack of 2
48-00-8026 0000075002

119⁹⁵ \$

- 12 x 1/2 po - 5 teeth per inch - Pack of 25
48-00-8027 0000075003

Pack of 25

LED Lamp

189⁹⁵ \$

- Three lighting modes for optimal brightness and runtime (650, 1500, et 3000 lumens)



Reciprocating saw kit

469⁹⁵ \$

- Kit includes:
- M18 FUEL SAWZALL Reciprocating Saw
 - M18 & M12 Multi-Voltage Charger
 - (2x) M18 REDLITHIUM XC 5.0 Extended Capacity Battery Pack
 - Blade
 - Carrying Case



Reciprocating saw (tool only)

229⁹⁵ \$

- Voltage: 18V
Weight: 7.4 lbs
Pile: REDLITHIUM™ XC 4.0
Pack of 25



Circular Construction Blades - 7-1/4 in - 24 teeth

7⁴⁹ \$

- Smoother Cut from Exclusive Plate Technology
- Reduced cutting force: teeth are face ground/sharpened
- Impact Resistant: NEW Anti kickback design reinforces carbide tip in use



DW3578B10
0000074894

Right angle screwing attachment IMPACT READY®

15⁴⁹ \$

- Ring Magnet secures fastener, and helps to reduce slipping & wobble
- True 90 degree head allows tight access when using 1 in bit tip
- IMPACT READY(R) performance designed for use in impact drivers



DWARA100
0000065498

Cross Line Laser

149⁰⁰ \$

- Projects bright crossing horizontal and vertical lines for various leveling and layout applications
- Self-Levelling is automatic on inclines up to 4 ° in seconds



DW088K
0000018832

FlexVolt Brushless Premium Hammerdrill & Impact Driver Combo Kit

499⁰⁰ \$

- The DCK299D1T1 features our DCD996 20V MAX of 1/2 in with 3-Speed Hammerdrill and DCF887 20V MAX of 1/4 in with 3-Speed Impact Driver. This kit comes with one 60V MAX Flexvolt lithium ion battery, one 20V MAX XR lithium ion compact battery and fast charger.



129⁹⁹ \$

LED work light

129⁹⁹ \$

- 2,400 lumens with folding adjustable tripod and carry handle

KC-2402LED-ST

0000075005



14 in cut-off saw with powerful 15 amp motor

149⁹⁹ \$

- Spark deflector for safe operation
- Heavy-duty steel base with foot pads minimizes vibration
- Quick release vise allows for cuts up to 45 deg
- Large handle facilitates transport



8342N
0000075006

Air compressor with peak HP of 5.5 and max pressure of 150 PSI

749⁰⁰ \$

- 2 cylinder cast iron pump
- ASME registered tank and safety valve
- Air pressure regulator and easy to read pressure gauges
- 9-1/2 in pneumatic wheels and a front handle for portability



KC-3124V1
0000075007

Fixed beam LED flashlight G45 **35⁵⁰ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 4.6 in / 11.7 cm
Weight 3.6 oz. / 102 g
Lumens 150
Beam Distance 37 m / 121 ft
Runtime 4h
Batteries (included) 3x AAA

Fixed beam LED flashlight PX25 **48⁵⁰ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 4.7 in / 11.9 cm
Weight 4.2 oz. / 119 g
Lumens 275
Beam Distance 127 m / 416 ft
Runtime 1h30min
Batteries (included) 3x AAA

Fixed beam LED flashlight G26 **27⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 6.1 in / 15.4 cm
Weight 3.6 oz. / 102 g
Lumens 120
Beam Distance 32m / 105 ft
Runtime 3h15min
Batteries (included) 2x AA

Focusing LED flashlight HX5 **29⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 4.0 in / 10.2 cm
Weight 2.5 oz. / 71 g
Lumens Alkaline =130 / NiMH = 125 / Li Ion = 345
Beam Distance Alkaline = 79 m / 259 ft / NiMH = 77 m / 252 ft / Li Ion = 130 m / 426 ft
Runtime Alkaline = 3h45min / NiMH = 1h15min / Li Ion = 45min
Batteries (included) 1x AA (included) / 1x NiMH (optional) / 1x Li Ion (optional)

Fixed beam LED pen light G19 **13⁸⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 4.0 in / 10.2 cm
Weight 2.0 oz. / 57 g
Lumens
Beam Distance 20 m / 65 ft
Runtime 2h30min
Batteries (included) 1x AAA

Fixed beam LED headlamp HL55 **37⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 4.7 oz. / 133 g
Weight High = 225 / Low = 36
Lumens Beam Distance High = 51 m / 167 ft / Low = 20 m / 65 ft
Runtime High = 2h / Low = 28h
Batteries (included) 3x AAA

Liner lock folding knife XL225 **18⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 19301
Weight 0000075022

Fixed beam LED pen light G20 **19⁵⁰ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 20035
Weight 0000075024

Knife light with 3.75 in blade KL375 **67⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 20794
Weight 0000075027

Focusing LED headlamp HL27 **68⁹⁵ \$**


COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 20830
Weight 0000075028

Polysteel 600 LED flashlight **55⁴⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length 20835
Weight 0000075031

Pocket pliers with LED light LED155 **61⁹⁵ \$**

COAST
LIGHTS • KNIVES • MULTI-TOOLS



Length C5899bcP
Weight 0000075066



Weatherproof padlocks

1-3/4 x 2-1/4 in

AU-70-45HB63C

0000075059

1-3/4 in

AU-70-45C

0000075058

2 in

AU-70-50C

0000075060

- Solid brass sealed body with cover seal and drainage channels to protect the cylinder against water and dirt

- Inner components made from non-corrosive materials

- Shock absorbing vinyl casing

- Hardened steel shackle

- Precision pin tumbler cylinder

16³⁵ \$

15¹⁵ \$

21⁶⁰ \$



1- Round tractor/utility LED lamp 4-1/2 in 1710LX

33⁹⁰ \$

Flood Pattern (60°)

725238

0000075054

2- Round tractor/utility LED lamp 4-1/2 in 1710LX

33⁹⁰ \$

Spot Pattern (30°)

725239

0000075055

3- Round tractor/utility LED lamp 4-1/2 in 1800LX

34⁹⁵ \$

Flood Pattern (60°)

725209

0000075050

4- Round tractor/utility LED lamp 4-1/2 in 1800LX

34⁹⁵ \$

Spot Pattern (30°)

725211

0000075051

5- Rectangular tractor/utility LED lamps 1260LX - 6-3/8 x 1-7/8 in

34⁹⁵ \$

Flood with Centre Spot Pattern (25°)

725227

0000075052

6- Rectangular tractor/utility LED lamps 1260LX - 6-3/8 x 1-7/8 in

34⁹⁵ \$

Flood (60°)

725237

0000075053

7- Square tractor/utility lamps LED 1520LX - 4-1/2 in

36⁵⁰ \$

Narrow Flood Pattern (45°)

725240

0000075056

16³⁵ \$

15¹⁵ \$

21⁶⁰ \$



Weatherized Steel 83WP/53 padlock

83WP/53

28⁵⁰ \$

AU-83WP-53

37⁹⁵ \$

0000075061

36³⁸ \$

83WP/63

37⁹⁵ \$

AU-83WP-63

36³⁸ \$

83WPCS/53

36³⁸ \$

AU-83WP-CS53-S2

36³⁸ \$

36³⁸ \$

- Body and shackle made of hardened steel with NANO PROTECT™ coating for extra corrosion resistance
- Patented "Z-bar" for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds
- Patented "Pinning Window" makes rekeying of the cylinder very easy
- Durable weather cover with drainage system
- Can be keyed into many popular keyways
- Easy Shackle Change: Shackle can be exchanged within seconds»



28⁵⁰ \$

37⁹⁵ \$

36³⁸ \$



Web slings

1- Type 3 - 2 ply - Double eye - 1 in x 6 ft TGWS0106 0000074896	5⁹⁵ \$
2- Type 3 - 2 ply - Double eye - 1 in x 8 ft TGWS0108 0000075088	6⁹⁵ \$
3- Type 3 - 2 ply - Double eye - 1 in x 12 ft TGWS0112 0000074897	9⁹⁵ \$
4- Type 3 - 2 ply - Double eye - 2 in x 2 ft TGWS0202 0000023043	5⁹⁵ \$
5- Type 3 - 2 ply - Double eye - 2 in x 4 ft TGWS0204 0000023044	7⁵⁰ \$
6- Type 3 - 2 ply - Double eye - 2 in x 6 ft TGWS0206 0000023045	9⁷⁰ \$
7- Type 3 - 2 ply - Double eye - 2 in x 8 ft TGWS0208 0000023046	11⁸⁰ \$
8- Type 3 - 2 ply - Double eye - 2 in x 10 ft TGWS0210 0000023047	14⁵⁰ \$
9- Type 3 - 2 ply - Double eye - 2 in x 12 ft TGWS0212 0000023048	16¹⁵ \$
10- Type 3 - 2 ply - Double eye - 2 in x 16 ft TGWS0216 0000023049	20²⁵ \$
11- Type 3 - 2 ply - Double eye - 2 in x 20 ft TGWS0220 0000074898	24⁹⁵ \$
12- Type 3 - 2 ply - Double eye - 3 in x 12 ft TGWS0312 0000075089	24⁵⁰ \$
13- Type 3 - 2 ply - Double eye - 4 in x 16 ft TGWS0416 0000075090	38⁹⁵ \$

Wrecking and utility bars

Weight 4.25 lbs - 24 in long TGHT-040-024 0000075086	6⁹⁷ \$
Weight 6.25 lbs - 36 in long TGHT-040-036 0000075087	10⁴⁰ \$



Web slings

1- Type 3 - 2 ply - Double eye - 1 in x 6 ft TGWS0106 0000074896	5⁹⁵ \$
2- Type 3 - 2 ply - Double eye - 1 in x 8 ft TGWS0108 0000075088	6⁹⁵ \$
3- Type 3 - 2 ply - Double eye - 1 in x 12 ft TGWS0112 0000074897	9⁹⁵ \$
4- Type 3 - 2 ply - Double eye - 2 in x 2 ft TGWS0202 0000023043	5⁹⁵ \$
5- Type 3 - 2 ply - Double eye - 2 in x 4 ft TGWS0204 0000023044	7⁵⁰ \$
6- Type 3 - 2 ply - Double eye - 2 in x 6 ft TGWS0206 0000023045	9⁷⁰ \$
7- Type 3 - 2 ply - Double eye - 2 in x 8 ft TGWS0208 0000023046	11⁸⁰ \$
8- Type 3 - 2 ply - Double eye - 2 in x 10 ft TGWS0210 0000023047	14⁵⁰ \$
9- Type 3 - 2 ply - Double eye - 2 in x 12 ft TGWS0212 0000023048	16¹⁵ \$
10- Type 3 - 2 ply - Double eye - 2 in x 16 ft TGWS0216 0000023049	20²⁵ \$
11- Type 3 - 2 ply - Double eye - 2 in x 20 ft TGWS0220 0000074898	24⁹⁵ \$
12- Type 3 - 2 ply - Double eye - 3 in x 12 ft TGWS0312 0000075089	24⁵⁰ \$
13- Type 3 - 2 ply - Double eye - 4 in x 16 ft TGWS0416 0000075090	38⁹⁵ \$

GO ZERO WASTE WITH LOCTITE® PRODUCT PACKAGING RECYCLING PROGRAM

Small box 2076397 0000075015	219⁰⁰ \$
Medium box 2076398 0000075016	359⁰⁰ \$
Large box 2076401 0000075017	499⁰⁰ \$



Henkel is the first adhesive manufacturer to provide an affordable, green solution for its LOCTITE® anaerobic adhesives. In partnership with TerraCycle®, we can help you meet sustainability goals and recycle items that were previously non-recyclable. Contact us to learn more about the Zero Waste Box® from TerraCycle® to recycle your LOCTITE® anaerobic containers.

LOCTITE®



LOCTITE® 567™ THREAD SEALANT

50 ml Tube 2087067 0000072362	17⁹⁹ \$
250 ml Tube 2087069 0000075018	65⁹⁵ \$



LOCTITE®

New improved formula with greater performance on inactive metals without a primer. General-purpose instant thread sealant for taper/taper threads. Excellent solvent resistance and eliminates galling on stainless steel. Ideal for stainless steel, iron, aluminum, galvanized steel and other metals. Controlled strength for easy disassembly with hand tools. Service temperature up to 250°C (480°F). ABS approved and NSF/ANSI 61 Certified. Approved by ULC-Canada.

LOCTITE® 243™ & 263™ THREADLOCKERS

Primerless threadlockers that reliably locks and seals metal fasteners. Engineered to cure consistently on a variety of metals despite minor surface contaminants. Works on steel, stainless steel and most plated fasteners. Tolerates thread lubrication, anti-corrosion and protection fluids. Rated for 360°F (180°C). NSF/ANSI 61 Certified. CFIA listed.

LOCTITE® 243™ Blue

Offers medium resistance and seals metal fasteners up to 19 mm.

LOCTITE® 263™ Red

Offers high resistance and seals metal fasteners up to 25.4 mm.

LOCTITE® 243™ Blue

10 ml Bottle
1329837 0000025463

50 ml Bottle
1329467 0000025461

LOCTITE® 243™ Red

10 ml Bottle
1330583 0000025464

50 ml Bottle
1330585 0000025465



LOCTITE®

11⁹⁰ \$
38⁹⁰ \$

11⁹⁰ \$
38⁹⁰ \$



LOCTITE® 518™ GASKET SEALANT

50 ml Tube 2096064 0000072361	19⁵⁰ \$
300 ml Tube 2096061 0000075019	67⁹⁰ \$



LOCTITE®

New improved formula with greater performance on inactive metals without a primer, flexible, high-strength anaerobic gasketing material designed for use on rigid iron, aluminum, and steel flanged mating surfaces. Fills gaps up to 0.25 mm and forms a flexible, chemical-resistant seal that will not tear or decay. Parts disassemble easily, even after extended service.

LOCTITE® 648™ & LOCTITE 680™ HIGH STRENGTH RETAINING COMPOUND

High strength retaining which bonds despite contaminants. Engineered to cure on metals without primer. NSF/ANSI 61 Certified. CFIA listed.

LOCTITE® 648™ for Press Fit

Best performance for clearance/interference fit parts. Applications include retaining roller bearings or oil-impregnated bushings into housings.

LOCTITE® 680™ for Slip Fit

Gives best resistance to dynamic, axial and radial loads. Recommended for retaining shafts, gears, pulleys.

LOCTITE® 648™

10 ml Bottle
1835922 0000025477

50 ml Bottle
1835920 0000042095

LOCTITE® 680™

10 ml Bottle
1835205 0000025476

50 ml Bottle
1835201 0000025617



LOCTITE®

13⁹⁵ \$
45⁸⁹ \$

12⁹⁵ \$
39⁹⁵ \$



LOCTITE®

CROMSON innovations

Magnetic end measuring tapes

- Ergonomic non-slip molded grip
- Fully shock and abrasion resistant with nylon coated jaws
- Metric and SAE accuracy readings
- Belt clip
- Magnetic tape end
- Quick locking blade allows for better retraction control

5 m / 16 ft
RM534
9900000135

8 m / 26 ft
RM81
9900000136



Large capacity locking pliers, long jaws

- A wide opening with precise adjustment of the tightening force
- Powerful and precise clamping (from 300 to 600 daN) with parallel jaws
- Forged steel jaws, raked and case-hardened teeth at 58/60 HRC, width 16 mm
- Chrome plated body

- Coated jaws for high protection against corrosion
- Inspected raked teeth and jaws allows precision clamping
- Ergonomic handle for easy clamping and unlocking with one hand
- High quality components (thicker body and handle ; defined notches for better pin holding ; resistant rivet and pin)



Lifetime warranty

PE10BL
9900000170

An opening five times larger than your usual vise clamp

PE9BC
9900000171



Large capacity locking pliers, short jaws

- A wide opening with precise adjustment of the tightening force
- Powerful and precise clamping (from 300 to 600 daN) with parallel jaws
- Forged steel jaws, raked and case-hardened teeth at 58/60 HRC, width 16 mm
- Chrome plated body

- Coated jaws for high protection against corrosion
- Inspected raked teeth and jaws allows precision clamping
- Ergonomic handle for easy clamping and unlocking with one hand
- High quality components (thicker body and handle ; defined notches for better pin holding ; resistant rivet and pin)



More teeth for three times more grip than your usual vise clamp

PE11BXL
9900000172



Large capacity locking pliers, deep jaws

- A wide opening with precise adjustment of the tightening force
- Powerful and precise clamping (from 300 to 600 daN) with parallel jaws
- Forged steel jaws, raked and case-hardened teeth at 58/60 HRC, width 16 mm
- Chrome plated body

- Coated jaws for high protection against corrosion
- Inspected raked teeth and jaws allows precision clamping
- Ergonomic handle for easy clamping and unlocking with one hand
- High quality components (thicker body and handle ; defined notches for better pin holding ; resistant rivet and pin)



Forged steel vise with swivel-base

Available in 125 mm and 250 mm

- High tensile casting body with a machined anvil
- Precision glide for effortless operation
- Replaceable inserted jaws made of case-hardened chromium molybdenum steel
- Professional quality for perfect steadiness
- Supplied with swivel base

125 mm
EA5125
9900000173
189,00 \$

250 mm
EA6150
9900000174
279,00 \$



48 piece set Metric - ALU

370,00 \$

CR6001
9900000132

- Kit includes:
- 11 6-point sockets, 1/4 drive : 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 15 6-point sockets, 1/2 drive : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25 mm
 - 2 Ratchets : 1/4 and 1/2 drive
 - 2 Extensions 1/4 drive : 50 and 100 mm
 - 2 Extensions 1/2 drive : 125 and 250 mm
 - 2 Universal joints : 1/4 and 1/2 drive
 - 1/4 in - 1/4 drive bit holder socket
 - 9 12-point combination wrenches : 9, 10, 12, 13, 14, 15, 17, 18, 19 mm
 - 1 Set of 30 bits and bit holder
 - 1/4 Bit holder screwdriver
 - 1 Groove joint pliers
 - 1 Storage box - ALU - 7.4 L



44 piece set SAE - ALU

370,00 \$

CR6501
9900000133

- Kit includes:
- 10 6-point sockets, 1/4 drive : 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 1/2 in
 - 12 6-point sockets, 1/2 drive : 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16 in
 - 2 Ratchets : 1/4 and 1/2 drive
 - 2 Extensions 1/4 drive : 50 and 100 mm
 - 2 Extensions 1/2 drive : 125 and 250 mm
 - 2 Universal joints : 1/4 and 1/2 drive
 - 1/4 in - 1/4 drive bit holder socket
 - 9 12-point combination wrenches : 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16, 1 in
 - 1 Set of 30 bits and bit holder
 - 1/4 Bit holder screwdriver
 - 1 Groove joint pliers
 - 1 Storage box - ALU - 7.4 L




10 piece tool set - ABS

250,00 \$

CR6600
9900000134

- Kit includes:
- 1/4 in - 1/4 Bit holder socket
 - 1 Adjustable wrench 8 in
 - 1 Set of 30 bits and bit holder
 - 1/4 Bit holder screwdriver
 - 1 Spring loaded cutting pliers
 - 1 Groove joint pliers
 - 1 Ball pein hammer
 - 1 Lineman's pliers
 - 1 Magnetic end measuring tape 16 ft
 - 1 Storage box - ABS - 18 L



Electric chain hoist

2 028 \$

Electric chain hoist 0,5t
110V, 14 PPM, 10' lifting -
L1A14
FI-05-081

2 075 \$

Electric chain hoist 1 t
110V, 7 PPM, 10' lifting
L2A07 FI-05-082

2 294 \$

Electric chain hoist 1 t
220V, 14 PPM, 10' lifting
L2F14
FI-05-083

2 156 \$

Electric chain hoist 1 t
575V, 14 PPM, 10' lifting
L2V14
FI-05-084

2 743 \$

Electric chain hoist 1,5 t
220V, 13 PPM, 10' lifting
L3F13
FI-05-085

2 677 \$

Electric chain hoist 2 t
575V, 14 PPM, 10' lifting
L4V15
FI-05-086

2 970 \$

Electric chain hoist 3 t
575V, 15 PPM, 10' lifting
L6V15
FI-05-087



TWO YEAR WARRANTY

- Large selection of lifting speeds
- Fix or swivel suspension mount
- Low headroom lug
- Chain container
- Special humidity/acidity motor treatment
- Push-button control
- TEFC (totally enclosed fan cooled) motor for increased working time and motor protection



**MADE IN
MONTREAL**



Electric Winch

Inquire for pricing

TWO-YEAR WARRANTY

Sturdy steel construction
Traction capacity up to 7,000 lbs
Lifting capacity up to 5,400 lbs
Aerospace grade steel cable

Several options available:
Sealed and / or ventilated motor,
electromagnetic brake.



Electric Trolley

Inquire for pricing

TWO-YEAR WARRANTY

Milled and machined steel wheels and gears
Integrated bumper and drop stop
One or two speed motor
Multiple travel speeds available

Capacity from 1T to 10T



For more information on Vulcan electrical products, visit www.vulcanhoist.com

Ratchet Puller

370 \$

Vulcan 0,75t
VPU0,75T-05

545 \$

Vulcan 1,5t
VPU1,5T-05

288 \$

SERIE XT 0,75t
XPU0,75T-05

775 \$

Vulcan 3t
VPU3T-05

389 \$

SERIE XT 1,5t
XPU1,5T-05

1 210 \$

Vulcan 6t
VPU6T-05

455 \$

SERIE XT 3t
XPU3T-05

747 \$

SERIE XT 6t
XPU6T-05

1 182 \$

SERIE XT 9t
XPU9T-05



Display price for 5' of chain. Contact us for a different lifting length.

Manual Chain Hoist

265 \$

Vulcan 0,5t
VB0,5T-10

102 \$

Nova 0,5t
NB0,5T-10

290 \$

Vulcan 1t
VB1T-10

114 \$

Nova 1t
NB01T-10

435 \$

Vulcan 1,5t
VB1,5T-10

146 \$

Nova 1,5t
NB1,5T-10

590 \$

Vulcan 2t
VB2T-10

165 \$

Nova 2t
NB2T-10

890 \$

Vulcan 3t
VB3T-10

203 \$

Nova 3t
NB3T-10

1 210 \$

Vulcan 5t
VB5T-10

307 \$

Nova 5t
NB5T-10

2 500 \$

Vulcan 10t
VB10T-10

658 \$

Nova 10t
NB10T-10

9 690 \$

Vulcan 15t
VB15T-10

1 944 \$

Nova 20t
NB20T-10

10 420 \$

Trolleys

Adjustable Trolley



158 \$

SERIE XT 1t
XTAT1T

219 \$

SERIE XT 2t
XTAT2T

384 \$

SERIE XT 3t
XTAT3T

499 \$

SERIE XT 5t
XTAT5T



Push Trolley



68 \$

Nova - push - 0,5t
NPT0,5T

93 \$

Nova - push - 1t
NPT1T

126 \$

Nova - push - 1,5t
NPT1,5T

141 \$

Nova - push - 2t
NPT2T

240 \$

Nova - push - 3t
NPT3T


392 \$

Nova - push - 5t
NPT5T

648 \$

Nova - push - 10t
NPT10T

2 484 \$



Gear Trolley



147 \$

Nova - gear - 0,5t
NGT0,5T

194 \$

Nova - gear - 1t
NGT1T

210 \$

Nova - gear - 1,5t
NGT1,5T

226 \$

Nova - gear - 2t
NGT2T

324 \$

Nova - gear - 3t
NGT3T

459 \$

Nova - gear - 5t
NGT5T

772 \$

Nova - gear - 10t
NGT10T

3 024 \$



Many more products available. Services provided : Rental * Inspection & repairs * Tests & compliance



9 Volt Alkaline, 12 Pack **25⁹⁹ \$**

Pack of 12 EN22 0000020243



Energizer



18 mm heavy-duty utility knives with ratchet lock L-1 **7⁹⁹ \$**

OLF 5003 0000029376



OLFA®



VOC free degreasing agent KL 9 H

- Water-based cleaner
- Biodegradable : made from sustainable materials
- Free from VOC, petrol-based solvent, and glycols
- Complies with the AFSSA norm n° 2007-SA-0028 AFSSA

Spray bottle KL 9 H 750 mL 0000028180 **8⁹⁰ \$**

Jerrycan 20 L KL 9 H (price per liter) 0000028178 **4⁹⁵ \$**

Jerrycan 5 L KL 9 H (price per liter) 0000028179 **6⁹⁵ \$**

Keg 200 L KL 9 H (price per liter) 0000074901 **4⁵⁰ \$**



RECOMMENDED BY
FICODIS EXPERTS



AA Alkaline, 24 Pack **12⁹⁹ \$**

Pack of 24 EN91 0000020244



Energizer



AAA Alkaline, 24 Pack **17⁹⁹ \$**

Pack of 24 EN92 0000020246



Energizer



Replacement blades 18 mm (50) **21⁹⁹ \$**

Pack of 50 blades

OLF 5016 0000029384



OLFA®



5 function lubricant, penetrating oil, anticorrosion, water repellent, deoxidising TOP 5 **6⁹⁵ \$**

650 mL / 21.66 fl.oz

- 5-function : water repellent and lubrication fluid.
- Compatible with most rubbers and plastics.
- In addition to its protection and lubrication properties, it also has water repellent characteristics.

TOP 5 0000028194



Arctic Blue Extension Cords 14/3 single (blue and orange) **26²⁵ \$**

25 ft long LT530725 0000030354

45⁹⁵ \$

50 ft long LT530730 0000030355

86⁹⁵ \$

100 ft long LT530735 0000030356

126⁹⁵ \$



ARCTIC
BLUE

Arctic Blue Extension Cords 12/3 Triple (blue and orange) **36⁹⁵ \$**

25 ft long LT630825 0000030360

67⁹⁵ \$

50 ft long LT530730 0000030361

129⁹⁵ \$

100 ft long LT530735 0000030362

122⁹⁰ \$



ARCTIC
BLUE

Arctic Blue Extension Cords 12/3 single (blue and orange) **34⁵⁰ \$**

25 ft long LT530825 0000030357

65⁹⁵ \$

50 ft long LT530830 0000030358

126⁹⁵ \$

100 ft long LT530835 0000030359

122⁹⁰ \$



ARCTIC
BLUE

Industrial heavy-duty fiberglass step ladder (6900 Series) **155⁹⁰ \$**

Height : 6', highest standing 45 po

Height : 8', highest standing 67 po

6906 0000020429

6908 0000020431



FEATHERLITE
INDUSTRIAL LADDERS

see in action



Fire extinguisher spray and stand support included **44⁹⁵ \$**

Fire extinguisher spray 750 gr compatible for A-B-C-K

REI750SUP 0000075083



REINOLD MAX



BE THE FIRST TO DISCOVER

VEHICLE JUMP STARTER



-  1600 A in start mode/500 farad
-  Easy handling and accessibility
-  No need to plug into the mains
-  Reverse polarity and anti-peak surge protection
-  Reliability and safety
-  Easy to transport
-  Jump starts all vehicles with a 12V battery



Discover this innovation in our specialized companies

Discover
products
selected by
our specialists



S
A
F
E
T
Y

3M Solus 1000 safety glasses

9⁷⁵ \$

Clear anti-fog safety glasses with Scotchgard^{MC}
Price per unit. Sold in boxes of 20.



S1101SGAF
0000074902

3M Solus 1000 safety glasses kit with foam liner and Solus Strap

13⁹⁵ \$

Clear anti-fog safety glasses with Scotchgard^{MC}
Price per unit.
Sold in boxes of 20.



S1101SGAF-KT
0000074903

3M™ PELTOR™ Cap-Mount Earmuffs X4P3E/37278(AAD)

26⁹⁵ \$

X4P3E
0000075091



LIVRAISON 24/48h

3M™ Particulate Respirator 8210V, N95 Respiratory Protection

14⁵⁰ \$

8210V
0000075057



3M Solus 1000 safety glasses

9⁷⁵ \$

Gray anti-fog safety glasses with Scotchgard^{MC}
Price per unit.
Sold in boxes of 20.



S1102SGAF
0000075084

3M SecureFit™ safety glasses

2⁷⁵ \$

Clear with anti-fog
Price per unit.
Sold in boxes of 20.



SF201AF-CA
0000072271

3M™ Hard Hat with Uvicator H-701R-UV, White, 4-Point Ratchet Suspension

11⁹⁵ \$

H-701R
0000075074



LIVRAISON 24/48h

3M™ Hard Hat with Uvicator H-701R-UV, Yellow, 4-Point Ratchet Suspension

11⁹⁵ \$

H-702R
0000075075



Uncorded Earplugs, 312-1261 in Poly Bag

24⁹⁵ \$

Bag of 2000

312-1261
0000075033



3M SecureFit™ safety glasses

2⁹⁵ \$

Gray with anti-fog
Price per unit.
Sold in boxes of 20.



SF202AF-CA
0000075085

3M™ Reusable Half Face Mask Respirator, Medium

20³⁵ \$

6502QL
0000028003



LIVRAISON 24/48h

3M™ Reusable Half Face Mask Respirator, Large

20³⁵ \$

6502QL
0000028004



Uncorded Earplugs, Push-Ins in Poly Bag

39⁹⁵ \$

Bag of 2000

318-1000
0000075038



3M™ PELTOR™ X Series Ear Muffs, 33dB, Hi-Viz, Headband, X4A

25⁹⁵ \$

X4A
0000074904



3M™ Particulate Filter 7093, P100 Respiratory Protection

595 \$

Each

37093
0000028019



LIVRAISON 24/48h

3M™ Particulate Filter 2071, P95 Respiratory Protection

4⁹⁵ \$

2071
0000027984



DEXTERITY Gloves

5²⁵ \$

- Sizes 5 to 11
 - Mix of 13 caliber composite fibers and filaments
 - Palms lined with nitrile foam
 - Compatible with use of touchscreens
 - Cutting resistance: 850 grams
- Automotive, Metal Fabrication, Assembly, Sheet Metal Handling, Handling of Small Parts



DEXTERITY Arc Flash Gloves

13⁹⁵ \$

- Sizes 5 to 11
 - Palms lined with fire resistant neoprene for better grip
 - ESD carbon filaments (for electrostatic dissipation) gives the gloves anti-static properties
 - Compatible with use of touchscreens
 - Cutting resistance: 1510 grams
- Industrie Pétrochimique, Petro Petrochemical Industry, Petro Chemical, Public Service, Oil and Gas



RONCO NE5 Green Nitrile Examination Glove of 5 mil (box of 100)

10⁹⁵ \$

- | | |
|--------|---------------------|
| Medium | 975
0000031794 |
| Large | 985
0000031795 |
| XL | 995
0000031797 |
| XXL | 995XX
0000031799 |



RONCO
focus on quality

TENACTIV Gloves

8⁶⁵ \$

- Sizes 5 to 11
 - 13 caliber composite weave non-fluffy material
 - Palms lined with black nitrile foam
 - Compatible with use of touchscreens
 - Cutting resistance: 1250 grams
- Construction, Glass Production Plant, Automotive, Aerospace, Metal Fabrication, Metal Stamping



EMERALD CX Gloves

14¹⁰ \$

- Sizes 5 to 11
 - Mix of 10 caliber steel and composite filaments
 - Palms lined with a new formula of nitrile foam
 - Compatible with use of touchscreens
 - Cutting resistance: 3175 grams
- Automotive, Metal Fabrication, Assembly of Parts, Sheet Metal Handling, Metal Stamping, Glass Making, Window Manufacturing, Recycling / Sorting Plant



SENTRON Black Nitrile Examination Glove 6 mil (box of 100)

12⁹⁵ \$

- | | |
|--------|----------------------|
| Medium | 962M
0000031790 |
| Large | 962L
0000031789 |
| XL | 962XL
0000031791 |
| XXL | 962XXL
0000031792 |



RONCO
focus on quality

Safety glasses OTG Extra with clear lenses

8⁷⁵ \$

- EX-ON unique adjustable branch system
Can be worn over your prescription glasses
The adjustable nose support is more flexible and comfortable than any other on the market
4A (anti-fog, anti-static, anti-U.V. and anti-scratch)



18 in Traffic Cones

- High visibility Orange
- PVC Construction
- Black rubber base

Base : 10-5/8 in x 10-5/8 in
Weight : 3 lbs

**TGTC-1801
0000075167**

10⁹⁵ \$

Collar : 4 in
Base : 10-5/8 in x 10-5/8 in
Weight : 3 lbs

**TGTC-1802
0000023031**

14¹⁶ \$

Collar : 6 in
Base : 10-5/8 in x 10-5/8 in
Weight : 3 lbs

**TGTC-1803
0000023032**

16⁹⁵ \$



TUFF GRADE



22 in Traffic Cones

- High visibility Orange
- PVC Construction
- Black rubber base

Base : 14 in x 14 in
Weight : 7 lbs

**TGTC-2801
0000075168**

17⁹⁵ \$

Collar : 4 in
Base : 14 in x 14 in
Weight : 7 lbs

**TGTC-2802
0000075169**

19⁹⁵ \$

Collar : 4 in & 6 in
Base : 14 in x 14 in
Weight : 7 lbs

**TGTC-2803
0000023033**

24⁹⁵ \$



TUFF GRADE



123⁹⁵ \$

Basic Harness B-Compliant Kit

FPKIT02/4
0000075020

- Kit includes:
- Vest style harness CSA Class A size large model FP4001D
 - 4 feet lanyard with energy absorber (Dyna-Pak) model FP64322/4
 - convenient carry bag model FP1002





Gas detectors at your fingertips!

Sale and repair of gas detectors and automated test stations, which are manufactured by BW Technologies and Rae systems

Inventory of varied parts, including gas cylinders, regulators and carrying cases.

For more information, contact us.



For more information,
consult our specialists.

Fire-retardant coveralls

139⁹⁵ \$

Fire-retardant coveralls with reflective StarTech bands and double-stitched seams, high visibility Protex®

88% high quality cotton and 12% high strength nylon FR-Tech, 10 oz (340 gmc)

- Complies with ASTM F1506-10a, NFPA 70E and CSA Z462-15 regulations
- Complies with NFPA 2112-2012 regulation
- ARC 2 Category (HRC 2)



High visibility flame retardant coat

259⁹⁵ \$

Exterior fabric is 100% fire retardant cotton with 6.5 oz fire retardant modacrylic insulation (220 gmc)

- Conforms with ASTM F1506-10a, NFPA 70E and CSA Z462-15 regulations
- ARC 4 Category (HRC 4)



Aviator Style Coat with StarTech Reflective Stripes

64⁹⁵ \$

100% waterproof and windproof with padding of 5.9 oz (200 gmc)

- Complies with the CSA Z96-09 regulation
- Class 2 level 2



Refrigeration jacket with liner

46⁹⁵ \$

Shell made of 100% 150 denier polyester Oxford quilted.

- Lining is 100% taffeta 210T lining with 3.5 in polyfill insulation.
- Reflective bands are 2 in on contrasting 4 in bands.
- Microphone loop and transparent pocket for ID card insertion



Pine-Sol All Purpose Disinfectant Cleaner

46⁹⁵ \$

4.25 L (Case of 3 bottles)

- Cleans and disinfects floors, tiles, sinks, showers, and garbage cans.
- Health Canada registered disinfectant.

PIN01166
0000075080



Pine-Sol

Structural Foam Tilt Truck, Utility Duty

659⁹⁵ \$

RCPFG101100BLA
0000075081



Yellow 35 Qt Sidepress Bucket and Wringer

79⁹⁵ \$

BWKC33080
0000075065



Heavy Duty Utility Cart 2 Shelf 24 x 366

229⁹⁵ \$

RCPFG452088BLA
0000075082



CUTTING TOOLS

*Discover
products
selected by
our specialists*



Foam Handwash Re-Fill **32⁹⁵ \$**

GOJO Clear & Mild (1200 mL)
315-1911-02
0000075035

GOJO

Dispenser Brushed Chrome / Black **42⁹⁵ \$**

GOJO LTX-12
315-1919-04
0000075036

GOJO

STARTER KIT PURELL ES® Everywhere System **17⁹⁵ \$**

450 mL Re-Fill PURELL Advanced Instant Hand Sanitizer Gel
315-1455-D8-CAN00
0000075034

Purell

12 FL OZ Pump Bottle Purell Advanced Hand Rub **7⁹⁵ \$**

Minimum of 12 bottles
315-3770-12-CAN00
0000075037

Purell

Permatex® Fast Orange Pumice Lotion Hand Cleaner **75⁹⁵ \$**

3.78L Case of 4 bottles.
ITW20861
0000075076

FAST ORANGE

USER BENEFITS

- Increased life with unique combination of good cut, finish, and life
- Reduces smearing, even on high nickel content alloys
- Less rework
- Cuts and finishes faster, delivers a consistent, repeatable finish
- Flexibility and conformability
- Produces a satinised finish quicker than with standard coated abrasives
- Improves efficiency with eliminated steps
- Non-rusting, waterproof, resilient, conformable and non-conductive / non-metallic

Norton rapid prep XF file belts

1/4 in x 18 in	Coarse Medium Fine Very Fine	66261011420 0000029074 66261012524 0000075092 66623333424 0000075093 66623333511 0000075094	4⁹⁵ \$	3/4 in x 18 in	Coarse Medium Fine Very Fine	66261002111 0000075110 66261015808 0000074926 66254490858 0000075111 66261003622 0000074927	11⁹⁵ \$
1/4 in x 24 in	Coarse Medium Fine Very Fine	69957392606 0000075095 66261097565 0000075097 66623333425 0000075098 66623333512 0000075101	5²⁵ \$	3/4 in x 20-1/2 in	Coarse Medium Fine Very Fine	66261083899 0000075112 66261003260 0000075113 66623333427 0000075114 66623333515 0000075115	11⁹⁵ \$
1/2 in x 12 in	Coarse Medium Fine Very Fine	66261003177 0000075102 66261006465 0000075103 66623318175 0000075105 66254499884 0000075106	7⁰⁵ \$	3/4 in x 80 in	Coarse Medium Fine Very Fine	66623333411 0000075116 66623333505 0000075117 66623333428 0000075118 66623333516 0000075119	18⁹⁵ \$
1/2 in x 18 in	Coarse Medium Fine Very Fine	66261055309 000004385 66261055310 000004386 66623333426 0000029213 66261055311 000004387	7⁴⁵ \$	1 in x 18 in	Coarse Medium Fine Very Fine	66261007023 0000029068 66261017898 0000029078 66623333429 0000074928 66623333518 0000075120	13⁵⁰ \$
1/2 in x 24 in	Coarse Medium Fine Very Fine	66261055312 000004388 66261008972 000004389 66254490859 0000075108 66261019876 0000075109	7⁸⁵ \$	1 in x 21 in	Coarse Medium Fine	66623333412 0000075121 66623336005 0000075122 66623333430 0000075123	13⁸⁰ \$



Norton Rapid Prep surface conditioning belts provide better performance and longer life versus conventional surface conditioning belts. These belts are ideal for removing surface defects, edge burrs, parting lines or flashing, rust, oxides, corrosion, paints and scale, cleaning molds, blending mill marks, tool marks, uneven edges and refining coated abrasive finish.



The Norton Rapid Prep disc portfolio is cutting-edge technology for all blending and finishing applications.

Our surface conditioning discs have been engineered to save time and money in all preparation applications, offering performance, excellence and value for money.

USER BENEFITS

- Reduces smearing, even on high nickel content alloys
- Resists loading on aluminium and soft metals
- Thick layer of grain throughout product extends life; grain does not sit on top of fibres
- Lowest total cost of consumable tooling per work piece
- Strong fixing to rotary sanders
- Discs sit flatter on back-up pads, resulting in a more consistent finish on DA applications

Norton rapid prep A/O (aluminium oxyde)

3/4 in	Extra Coarse Coarse Medium Fine Very Fine	66623340002 0000075124 66623340021 0000075125 66623340032 0000075126 66623340058 0000075127 66623340044 0000075128	0⁹⁰ \$	1-1/2 in	Extra Coarse Coarse	66623340011 0000075134 66261047579 0000075135	1⁰⁰ \$
1 in	Extra Coarse Coarse Medium Fine Very Fine	66623340007 0000075129 66623340023 0000075130	0⁹⁰ \$	2 in	Extra Coarse Coarse	66261016373 0000075139 66261009191 0000004411	1⁵⁵ \$
Medium Fine Very Fine	66254482331 0000075131 66623340064 0000075132 66254482339 0000075133	75 \$	Medium Fine Very Fine	66261009190 0000004412 66623340077 0000029218 66261009189 0000004413	1³⁵ \$		
Medium Fine Very Fine	66623340007 0000075129 66623340023 0000075130	0⁷⁵ \$	Medium Fine Very Fine	66261009190 0000004412 66623340077 0000029218 66261009189 0000004413	1³⁵ \$		



Hand pads Beartex

6 x 9	Very Fine Norton A/O Maroon 747	66261074700 0000029100	1²⁵ \$
Medium Norton S/C Gray 746	66261074600 0000029099	2¹⁰ \$	
MediumNorton A/O Dark Tan 740	66261074000 0000029098	3²⁵ \$	
Very FineNorton S/C Gray 851	66261085100 000004447	1⁹⁵ \$	
Very FineNorton A/O Light Green Food Pro 696	66261069600 0000029097	0⁶⁵ \$	

Type 01 Cutting Wheels ALPHA CUT 01

4-1/2 x .045 x 7/8

MT145045
9900000137

225 \$
235 \$

5 x .045 x 7/8

MT150045
9900000138



Quick, precise and straight cutting at competitive price
Special packaging for better handling and increased visibility



Type 27 Flap Disc DELTA FLEX

4-1/2 x 5/8-114-1/2 x 5/8-11

- Grit 40 DL451040
9900000143

565 \$

2 steps in 1 operation : Grinding and polishing with an excellent quality finish
Trimable backing

4-1/2 x 7/8-4-1/2 x 7/8

- Grit 40 DL452040
9900000146

495 \$

5 x 5/8-115 x 5/8-11

- Grit 40 DL501040
9900000149

605 \$

5 x 7/8 5 x 7/8

- Grit 40 DL502040
9900000152

540 \$



Coated Abrasives Cloth Rolls

2990 \$

1-1/2 x 50 vg

- Grit 80 RA112080
9900000155

Cotton backing easy to tear to exact lengths as needed for high resistance
and flexibility for various applications



0-8 in / 0-200 mm Digimatic AOS Caliper

230³⁵ \$

500-197-30
0000027443



Mitutoyo

**RECOMMENDED BY
FICODIS**

6 in Steel Full-Flexible Ruler

1595 \$

(1/64) - 4R 182-201
0000075140

(1/64) - 16R 182-202
0000075141

5R 182-203
0000075142

3R 182-204
0000075143

x 150 mm Steel Full-Flexible
Ruler (1/32, 1/64) 182-205
0000027414

x 150 mm Steel Full-Flexible
Ruler (1/50, 1/100) 182-206
0000075144

x 150 mm Steel Full-Flexible
Ruler (1/10, 1/50) 182-207
0000075145

x 150 mm Steel Full-Flexible
Ruler (1/10, 1/50) 182-208
0000075146

2300 \$



Mitutoyo

**0-100 Dial 1 in diameter .001
in Graduation with Lug**

117⁶⁰ \$

2416S
0000027428



Mitutoyo

12 in Steel Full-Flexible Ruler

30⁸⁰ \$

(1/64) - 16R 182-222
182-222

5R 182-223
182-223

3R 182-224
182-224

x 300 mm Steel Full-Flexible
Ruler (1/32, 1/64) 182-225
182-225

x 300 mm Steel Full-Flexible
Ruler (1/50, 1/100) 182-226
182-226

4395 \$



Mitutoyo

**Thickness Gage .0015
- 0.25 in (26 leaves)**

3267 \$

3 in Blade Length by .001 in Increments

950-252
0000075152



Mitutoyo

**0-24 in Digimatic Height Gauge
0-600 mm Multi-Function Tip**

2898 \$

with SPC Data Output (+ .0015 in)

192-672-10
0000075153



Mitutoyo



Coro Drill 460 Solid Carbide Drill not-coolant thru 5 x D (GC34)

Available in 3.00 mm to 20.00 mm, inquire for pricing.

1/8 in	460.1-0318-016A0-XM	49⁸⁹ \$
1/4 in	460.1-0635-032A0-XM	65³⁷ \$
3/8 in	460.1-0953-048A0-XM	78⁴⁸ \$
1/2 in	460.1-1270-064A0-XM	136⁰⁸ \$
5/8 in	460.1-1588-071A0-XM	189⁷⁰ \$



Coro Tap 300 Spiral Flute DIN/ANSI Tap

Available in 2-25 to 1-8 in, inquire for pricing.
Metric EX03PA also available in M3 to M24.

8-32	EX23PA8-32	30³⁵ \$
10-24	EX23PA10-24	30³⁵ \$
1/4 in	EX23PA1/4	32³⁵ \$
5/16 in	EX23PA5/16	39⁰⁵ \$
3/8 in	EX23PA3/8	46¹⁰ \$
1/2 in	EX23PA1/2	57⁹⁵ \$
5/8 in	EX23PA5/8	102⁶⁵ \$



Coro Tap 400 E892 Roll Form Tap - 6-32

Available in 4-40 to 1-8 in, inquire for pricing.
Metric E890 also available in M3 to M20.

6-32	E8926-32	35³⁰ \$
8-32	E8928-32	28⁹⁵ \$
10-24	E89210-24	25⁵⁵ \$
1/4-20 in	E8921/4	25⁶⁸ \$
5-16-18 in	E8925/16	32⁸⁹ \$
38-16 in	E8923/8	26⁹⁵ \$
1/2-13 in	E8921/2	55¹⁷ \$
5/8-11 in	E8925/8	79⁴² \$



Coro Mill 390 Milling Cutter - 1 in Square Shoulder - 4 in OAL - 1 in Shank

Coro Mill 390 Milling Cutter - 1 in Square
Shoulder - 4 in OAL - 1 in Shank **339⁰⁰ \$**

RA390-025M25-17L



Coro Mill 390 Square Shoulder Milling
Cutter - 2 in **499⁰⁰ \$**

RA390-051R19-17L



Coro Mill 419 Face Milling Cutter - 3 in **770⁰⁰ \$**

A419-076R25-14M



Carbide Insert for Coro Mill RA390 Cutter **18⁹⁵ \$**

Sold in packs of 10

R390-170408M-PM 1130



Carbide insert for Coro Mill R390 Cutter **18⁹⁵ \$**

Sold in packs of 10

R390-17040RM-PM 1130



Carbide Insert for Coro Mill 419 Cutter **22⁹⁸ \$**

Sold in packs of 10

A419N-140530E-SM 4230



Steel Grade Insert for Turning

Sold in packs of 10

CNMG 432-PM 4325

DNMG 432-PM 4325



13¹⁵ \$

16⁵⁰ \$



Cabinet for drills **84⁹⁵ \$**

113-843
0000074929

Tapping head

Model #8 - 1/2 - Reverse Tapping Head
- M4 to M12 - 1/8 in NPT - Mount JT6

354-002
0000074930

354-012
000005749

429⁹⁵ \$
459⁹⁵ \$

Vice for milling machine **499⁹⁹ \$**

Jaw Width: 6 in
Opening: 7.5 in

327-275M
000005631

Clamping kit **99⁹⁹ \$**

L'ensemble inclus:
• 24 goujons, 4 chaques, 3, 4, 5, 6, 7, et 8 po long
• 6 Ecrous T-Slot
• 6 Ecrous à bride
• 4 Ecrous d'accouplement
• 6 Blocs à étape
• 6 Pinces d'extrémité dentées

333-550
0000074990

Tapping head

Model #8 - 1/2 - Reverse Tapping Head
- M4 to M12 - 1/8 in NPT - Mount JT6

354-002
0000074930

354-012
000005749

429⁹⁵ \$
459⁹⁵ \$

Vice for milling machine **1049⁹⁵ \$**

Jaw Width: 6'
Opening: 8'
Height: 2'
Base Len: 16.8'

382-015
000005757

Skoda live centers

Live center Skoda MT2	310-110 0000074991	139⁹⁵ \$
Live center Skoda MT3	310-115 000005626	169⁹⁵ \$
Live center Skoda MT4	310-120 000005627	204⁹⁵ \$
Live center Skoda MT5	310-125 000005628	319⁹⁵ \$

«Master» Drill sets

standard length 29 pieces
118° Point - HSS

EDP# 46481072
0000019740

with 3 flat shanks 29 pieces
1/16-1/2 x 64ths

EDP# 46481073
0000019741

79⁹⁵ \$
119⁹⁵ \$

**Cylinder plain end carbide burr,
standard cut**

SA1	32.547 0000074932	13³⁰ \$
SA2	32.550 0000074933	18⁹⁰ \$
SA3	32.553 0000020965	19⁸⁵ \$
SA3L	32.55303 0000009141	16⁴⁷ \$

**Cylinder radius end carbide burr,
double cut**

SC1	32.613 0000026339	18⁴⁰ \$
SC2	32.616 0000074934	21²⁵ \$
SC3	32.619 0000026334	21¹⁰ \$
SC4	32.61913 0000074992	18⁹⁵ \$
SC5	32.622 0000020968	20⁹⁵ \$

Drill set

Dormer tools taper length drill bit sets 1/1

DOR 0544317
0000075021

Drill set **149⁹⁵ \$**

1-60, Dormer tools taper length drill bit sets A097

DOR 0574324
0000019516

Radius tree carbide burr, double cut **50⁰⁰ \$**

SF1	32.703 0000074935	15⁶⁵ \$
SF3	32.706 0000074936	18⁸⁰ \$
SF5	32.709 0000026348	27⁵⁵ \$

SHARVEY TOOL™



Unique Selection

We offer a comprehensive selection of over 15,500 miniature and specialty cutting tools that are all *fully stocked*. The breadth and depth of our products help solve the industry's toughest machining challenges.

Miniature End Mills



Select from nearly **5,000** miniature end mills down to .001" cutter diameter, available in a variety of styles and profiles.

Material-Specific End Mills



Achieve the best results in exotic alloys, medium alloys, free machining steels, aluminum alloys, graphite, plastics, composites, and more with over **3,400** high performance end mills.

Undercutting End Mills



Over **600** options, with 3 different wrap angles: 300°, 270°, and 220°.

Drill/End Mills



Over **350** options, with cutter diameters from 1/32" to 1".

Chamfer Cutters



Over **550** options, with diameters from 1/32" to 3/4" and **20** different angles per side.

Engraving Cutters



Over **550** options, available with **14** included angles and a variety of styles.

Keyseat Cutters



Over **1,500** options, with cutter diameters from 1/16" to 1-1/2".

Corner Rounding End Mills



Over **750** options, with over **100** radii from .003" to 5/8".

Dovetail Cutters



Over **350** options, with **15** included angles.

Holemaking & Threading



Solve a variety of holemaking challenges from spotting to threading with **1,800** options that include miniature drills, coated reamers, countersinks, counterbores, and single-form, multi-form, and tri-form threadmills.

CUTTING TOOLS FROM SANDVIK COROMANT

SANDVIK
Coromant

Turning tools

GENERAL TURNING
PARTING AND GROOVING
THREAD TURNING
MULTIFUNCTIONAL TOOLS
TOOL HOLDING
TURNING TOOL ADAPTORS



Ester-based chain oil VEGA 908 -
650 ml / 21.66 fl.oz

10⁴⁹ \$

Without safety labels. Made entirely of renewable materials, used for lubrication in humid environments. Untuous and adherent with good anti-wear qualities. High penetration power for a homogeneous distribution of the lubricant to the center of the chain axes. Aerosol can sold individually or in packs of 12

For conveyor chains, chains for quenching, furnaces, painting or serigraphy. For transmission lines in the tapestry industry, dyeing, ...



VEGA 908
0000012666

VG CUT 77
Water based lubricant drilling - tapping

11⁹⁹ \$

- Water based fluid made of vegetal polymer.
- Non flammable, VOC free and biodegradable, no safety restrictions.
- Can be used on any materials.
- Aerosol can sold individually or in packs of 12

Used for drilling and tapping.



VG CUT 77
0000028197

NB 25 Anti-adherent welding varnish
(520 mL)

14⁹⁵ \$

- NB 25 is a boron nitride varnish applied as an aerosol to protect surfaces up to 1000°C by depositing a dry film.
- It is used to protect not only welding tips, but also all types of parts subjected to high temperatures.
- Has a good adherence on all media.
- Contains no silicone or chlorinated solvents.
- Must be suitably stirred before usage.

- Welding anti-adhesive.
- Protection of parts or tools.
- Mould removal agent for glass works.
- For more details, please consult the safety data sheet.



NB 25
0000028184

Bio Circle cleaner and degreaser
(20 L / 5.2 gal)

210⁰⁰ \$

Bio-remediation cleaner for parts cleaning system

55-A 007
0000039256



Starter kit

CleanBox Maxi hot CB 100 starter kit

55D615CPB
0000075041

Maxi starter kit with Bio Circle L

55D600BCLP
55D600BCLP

Set includes 6 buckets (20 L / 5.2 gal.) as well as a unidirectional parts washer and cleaning solutions



WALTER
Technologies pour surfaces

199 \$

1229 \$

Air Force AF-PL quick evaporating
degreaser (20 L / 5.2 gal)

20 L / 5.2 gal

53-C 557
0000074993

200 L / 52.8 gal

53-C 558
0000039226

- Residue-free cleaner that dissolves and removes grease, oil and dirt safely and efficiently.
- It is designed specifically to be compatible with all kinds of plastics and synthetic rubbers.



WALTER
Technologies pour surfaces

OMNI lubricating cleaner

in an aerosol can (480 mL)

53-X 002
0000010384

in a spray bottle (500 mL)

53-X 003
0000074994

in a bottle (3.78 L)

53X005
0000075040



WALTER
Technologies pour surfaces

WALTER
Technologies pour surfaces

UNO-SF
foamless cleaner and degreaser

in a spray bottle (500 mL / 16.9 fl.oz.)	53-G 023 0000074995	994 \$
in a can (3.78 L / 1 gal)	53-G 015 0000075039	3188 \$
by the barrel (20 L / 5.2 gal)	53-G 017 0000039239	12750 \$
in bulk (208 L / 5.2 gal)	53-G 018 0000074996	112625 \$



WALTER
Technologies pour surfaces



ICECUT 300 magnetic drill
- Capacity of 1-3/8 in

1495 \$

39-D 100
0000074937



WALTER
Technologies pour surfaces



Set of 29 drill bits
- 1/16 to 1/2 in

12995 \$

01-E 118
0000038957



WALTER
Technologies pour surfaces



ICECUT 400 magnetic drill
- Capacity of 2 in

1739 \$

39-D 200
0000074938



WALTER
Technologies pour surfaces



*Discover
products
selected by
our specialists*

POWER

Laser Pointer II

549⁰⁰ \$

The Optibelt laser pointer II facilitates the alignment of belt drives. The belt pulleys are aligned to each other via the front and/or the lateral surfaces. This professional handling will improve the operation of the belt and prolong its service life considerably. Technical data: Laser: class II M, Output power: ≤ 5 mW, Wavelength: 635 nm, Measure < 0.5 mrad, accuracy: parallelism to magnet face, Case: brass, nickelized, Power: 1.5 V AA-battery.



SMART Single Point Plastic Lubricator

122⁹⁵ \$

• Capacity (Oz.) 4-25/64
• Dia. (In.) 2-9/16
• Height (In.) 7
• 1/4 In. Male NPT
• Operating Temp. (F) -4 to 140
• Spring Tension (PSI) 87
For Industrial Machinery, Includes 130cc Mobil Polyrex EM Grease,



READY Single Point Plastic Lubricator

55⁹⁵ \$

• Capacity (Oz.) 2-19/64
• Dia. (In.) 2-9/32
• Height (In.) 3-21/64
• 1/4 In. Male NPT
• Operating Temp. (F) -4 to 140
• Spring Tension (PSI) 73
For Industrial Machinery, Includes 60cc Mobil Polyrex EM Grease



DRIVE Single Point Plastic Lubricator

169⁹⁵ \$

For Industrial Machinery, Includes 120cc Mobil Polyrex EM Grease,
• Capacity (cm3) 120
• Dia. (mm) 71
• Height (mm) 165
• 1/4 po mâle NPT
• Operating Temp. (F) 14 à 122
• Output pressure (PSI) 75



Pistol Grip Grease Gun

49⁹⁵ \$

• Easy one hand operation with 18' whip hose
• Rugged die cast head
• Exclusive "Flip Over Follower" for superior seal of both cartridge or bulk filling
• 3-way loading
• Capacity: 453 g (16 oz.) bulk or 411 g (14.5 oz.) cartridge



Grease Injector Needle 1-1/2 in long made of 18 gauge stainless steel

6⁹⁵ \$

• Lubricates in extremely tight places including U-joints and sealed bearings
• Fits directly on jaw type couplers
• Includes protective plastic cover



Right Angle Coupler

17⁹⁵ \$

• For hand operated grease guns
• Professional industrial quality
• Unique design for greasing fittings in hard to reach areas
• Particularly useful in low height applications
• Polyurethane seal fits perfectly on grease fitting
• Working pressure 1,000 PSI
• 1/8 in NPT threads



18V Cordless Grease Gun

379⁹⁵ \$

• New heavy-duty high-torque motor for superior performance in demanding work environments
• New 18-volt high-capacity NiCad battery delivers up to 10 grease cartridges per charge
• High-strength composite body and casting provide outstanding durability without weight penalty
• Next generation "Smart Charger" for faster charge time
• 2-speed transmission provides high-volume or high-pressure output



1-1/2 in long Needle Nose Dispenser with 0.156 in diameter

9⁹⁵ \$

• For dispensing fine line of grease
• Allows contact with flush or hard-to-reach fittings in inaccessible areas
• 1/8" NPT threads



110pc Grease Fitting Assortment

22⁰⁰ \$

KTGN-110 (imperial)

KTGN-110M (metric)



KTGN-110
0000020909

KTGN-110M
0000020910

3-1/2 br grey rubber swivel 350lbs **24⁷⁵ \$**

Lpoev89k12fisgfk
0000075078

Blickle
we innovate mobility

Blue rubber

Blue rubber swivel wheel - 3 in	7072339 0000075042	6⁹⁵ \$
Blue rubber fixed wheel - 3 in	7073339 0000075044	5⁹⁵ \$
Blue rubber swivel wheel with brake - 3 in	7074339 0000075047	8⁹⁵ \$
Blue rubber swivel wheel - 4 in	7072449 0000017420	7⁹⁵ \$
Blue rubber fixed wheel - 4 in	7073449 0000075045	6⁹⁵ \$
Blue rubber swivel wheel with brake - 4 in	7074449 0000075048	9⁹⁵ \$
Blue rubber swivel wheel - 5 in	7072459 0000075043	11⁹⁵ \$
Blue rubber fixed wheel - 5 in	7073459 0000075046	10⁹⁵ \$
Blue rubber swivel wheel with brake - 5 in	7074459 0000075049	14⁹⁵ \$

Blickle
we innovate mobility

Absorbant sheet for oil - 15 x 17 in (pack of 100 sheets) **59⁹⁵ \$**

SEH942
0000036507

Blickle
we innovate mobility

O-Ring Kit

Standard O-Ring Kit	ORK-2 0000018637	19⁹⁵ \$
Metric O-Ring Kit	MORK-1 0000029338	34⁹⁵ \$
O-Ring Kit for Hydraulic Repairs	ORK-O-R FITTING KIT 0000054151	49⁹⁵ \$

Blickle
we innovate mobility

3-1/2 grey rubber swivel 350lbs **19⁹⁵ \$**

Lpoev89k12sgfk
0000075079

Blickle
we innovate mobility

3-1/2 grey rubber rigid 350lbs **18⁹⁵ \$**

Roues à bandage caoutchouc rigide
plein élastique
"Blickle EasyRoll"
3-1/2 150 lbs

Lpoev89k12sgfk
0000075064

Blickle
we innovate mobility

O-Ring Kit

Standard O-Ring Kit	ORK-2 0000018637	19⁹⁵ \$
Metric O-Ring Kit	MORK-1 0000029338	34⁹⁵ \$
O-Ring Kit for Hydraulic Repairs	ORK-O-R FITTING KIT 0000054151	49⁹⁵ \$

Daemar Inc.

Safety and Automatic Quick Couplers

UNISAFE 5 en 1, 1/4 (F) NPT	20.448 0000036969	23³⁹ \$
TOPQUIK 1/4 Industrial 1/4 (F) NPT	20.449 0000036970	28⁰⁰ \$
TOPQUICK 1/4 Industrial 1/4 (M) NPT	20.649 0000074939	31⁹⁴ \$

TOPRING

Vanne d'arrêt à échappement sécuritaire

1/4 AIRFLO 300	51.370 0000075161	77⁴⁶ \$
3/8 AIRFLO 300	51.375 0000075162	
3/8 AIRFLO 400	51.470 0000075163	88⁷⁹ \$
1/2 AIRFLO 400	51.475 0000045113	

TOPRING

AIRPRO Maximum Safety Blow Gun 8 mm x 10 cm **44³⁹ \$**

60.389
0000037215

TOPRING

ASME Air Safety Valve 1/4 (M) NPT 155PSI **16²⁶ \$**

58.850
0000062220

TOPRING

HOSEGUARD Anti Hose-Whip Safety Valve 3/8 (M-F)NPT 42 SCFM **66²⁴ \$**

58.957
0000037184

TOPRING

High Flow Safety Exhaust Lock-Out Valve 1/2 (F) NPT **319⁹² \$**

65.650
0000075164

TOPRING

TOPPRO Safety Blow Gun with silent tip **22⁰⁸ \$**

60.315
0000037203

TOPRING

AIRPRO Safety Blow Gun with StarTip 6mm x 10 cm / Blue **24⁸⁰ \$**

60.357
0000074940

TOPRING

AIRPRO Maximum Safety Blow Gun with Rubber Tip 8 mm X 10 cm **48⁵² \$**

60.385
0000037210

TOPRING

Heavy Duty Tool Balancers

2.3 - 4.5 kg	64.300 0000046148	498⁷⁶\$
1.4 - 3.1 kg (Ratchet Lock)	64.345 0000037256	442³⁴\$


TOPRING

Safety Exhaust/Lockout Ball Valve with exhaust 1/4 (F) NPT	65.500 0000074941	51¹⁷\$
--	----------------------	--------------------------


TOPRING

Vacuum Gun Kits		164⁵⁹\$
-----------------	--	---------------------------


TOPRING

Polyreel Hose Reels		156¹⁶\$
---------------------	--	---------------------------



Maxreel Hose Reel with FlexHYBRID technopolymer air hose		242⁹⁴\$
--	--	---------------------------


TOPRING
In-line Pre-Set Regulator 30 PSI

		47¹¹\$
--	--	--------------------------


TOPRING

Safety Personal Cleaning Unit		899⁹⁵\$
-------------------------------	--	---------------------------


TOPRING


Vacuum Gun Kits		352²⁸\$
-----------------	--	---------------------------


TOPRING

Polyreel Hose Reels		199⁶⁶\$
---------------------	--	---------------------------



Sintered Bronze Muffler/Filter 1/4 (M) NPT		3⁹³\$
--	--	-------------------------


TOPRING
Rubber Grease Whip Hose

3/16 ID X 1/8 NPT, 3000 PSI, 12 inch long	GWR-3-12 0000075071	6⁹⁵\$
3/16 ID X 1/8 NPT, 3000 PSI, 18 inch long	GWR-3-18 0000075072	7⁹⁵\$
3/16 ID X 1/8 NPT, 3000 PSI, 24 inch long	GWR-3-24 0000075073	9⁹⁵\$


PVC Hose - 1/2 in

Sold per foot		0⁹⁹\$
---------------	--	-------------------------


Green Line

Hydraulic Hose - 3/8 in (100R17)

Sold per foot		2¹⁹\$
---------------	--	-------------------------


Pneumatic Cylinder (1376664)

		129⁹⁵\$
--	--	---------------------------


FESTO
Pneumatic Valve

		99⁹⁵\$
--	--	--------------------------


FESTO

**18*45 Submersible Pump
- 1/2 HP (10SQE05-160)**


684⁹⁹ \$

- Max flow : 14.8 GPM
- Rated head : 177 ft
- Rated voltage : 200 to 240 V

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

GRUNDFOS

96160183
0000073747



**18*45 Pump
- 1-1/2 HP (JP05S-C1)**

349⁹⁹ \$

- Max flow : 21 GPM
- Rated head : 145 ft
- Rated voltage : 115 to 230 V

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

GRUNDFOS

97855073
0000074943



**120*51 Effluent Pump
- 1/3 HP (ESP33AM)**

179⁹⁰ \$

- Max flow : 44 GPM
- Shutoff head : 17.5 pi
- Motor : 115 V
- Discharge : 1-1/2 in NPT

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

Franklin Electric

620186
0000073403



**Motor 5 cv - 2700 psi Pressure
- Flow of 8,7 litres/min (2,3 gal/min)**

569⁹⁵ \$

- Pistol and Lance Handle
- 3 Nozzles - 7,6 m long hose (25 ft)

Many other models and replacement parts are available on demand.

Ford

FPWG2700H-J
0000075069



18*45 Pump - 1 HP (SCALA2 3-45)

775⁹⁹ \$

- Max Pressure : 145 PSI
- Rated head : 148 ft
- Rated voltage : 115 V

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

GRUNDFOS

98562818
0000074997



**143*50 Reservoir
- Capacity 20 gal / 80 litres (PC66)**

164⁹⁰ \$

- Diameter : 16 in
- Height : 29 in
- Weight : 36 lbs

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

Franklin Electric

604504
0000074459



**120*51 Little Giant Sewage Pump
- 1/2 HP (WSV52HAM)**

379⁹⁰ \$

- Max flow : 35 GPM
- Rated Head : 20 pi
- Moteur : 115 V
- Discharge : 2 in FNPT

« Many other models and replacement parts are available. Repairs under warranty and ISO available »

Franklin Electric

620236
0000073405



**Motor 5 cv - 3100 psi Pressure
- Flow of 9,5 litres/min (2,5 gal/min)**

699⁹⁵ \$

- Pistol and Lance Handle
- 4 Nozzles - 9 m long hose (30 ft)

Many other models and replacement parts are available on demand.

Ford

FPWG3100H-J
0000075070



4 Stroke Motor 212 cc Air Cooled

DP20
0000075067

249⁹⁵ \$

- Cooling and Aspiration Opening of 50 mm (2 in)
- Weight of 22 kg.

DP30
0000075068

279⁹⁹ \$

Many other models and replacement parts are available on demand.

DUCAR
POWER WITH VISION



Top quality compressor oil

1 liter - mineral

11.1100
0000013463

7²⁹ \$

4 liters - mineral

11.1400
0000013465

22³⁹ \$

1 liter - synthetic

11.1200
0000013464

13²⁶ \$

4 liters - synthetic

11.1500
0000013466

52⁷⁹ \$



Oil for pneumatic tools

1 liter

63.6010
0000013524

6⁵⁷ \$

4 liters

63.6040
000001352

21⁰³ \$



2 Stage Gear Pump

189⁹⁵ \$

PIQ1020
0000054831



**Manual Valve Mono Bloc, Open Center,
Spool Cylinder, 12 GPM, Spring Return**

209⁹¹ \$

SD5/1-P(JG3)/18L/AET-SAE
0000056203



Hydraulic Cooler 10 GPM, 7.5 KW

421⁸⁶ \$

2015K-SAE
0000042275



**Gerotor Motor, 100cc, 4 bolts,
1 in key, O-Ring Port**

214⁹¹ \$

MLHPQ100C4UE M+S
0000053443





A GROUP OF SPECIALISTS

Outils Plus MJ
ENTREPRISE DU GROUPE 

Québec - Tel : (418) 628-5580
mnadeau@outilsplus.com

VL Industriel
ENTREPRISE DU GROUPE 

Sorel-Tracy - Tel : 1 800-268-0431
info@vlindustriel.com

VARCO Industrial sales
ENTREPRISE DU GROUPE 

Chatham - Tel : 519-354-7844
infocha@varco.on.ca

DEL-PAR
ENTREPRISE DU GROUPE 

Granby - Tel : 1 800-363-5688
info@delpar.qc.ca

DFI DRUMMOND FOURNITURES INDUSTRIELLES
ENTREPRISE DU GROUPE 

Drummondville - Tel : 819-850-0555
info@dfidrummond.com

VARCO Industrial sales
ENTREPRISE DU GROUPE 

London - Tel : 519-659-2696
infolon@varco.on.ca

INDUSTRIAL SOLUTIONS
ENTREPRISE DU GROUPE 

Ottawa - Tel : 877-731-6161
info@indsol.ca

FIXACLOUDS
ENTREPRISE DU GROUPE 

Granby - Tel : (450) 378-0049
info@fixaclouds.com

VARCO Industrial sales
ENTREPRISE DU GROUPE 

Kitchener - Tel : 519-896-9900
infolon@varco.on.ca

PIQ TH PELLETIER
ENTREPRISE DU GROUPE 

Levis - Tel : (418) 839-5111
elandry@piquebec.com

HT Technologies Inc.
ENTREPRISE DU GROUPE 

Terrebonne - Tel : (450) 477-6844
info@ht-technologies.com

VARCO Industrial sales
ENTREPRISE DU GROUPE 

Windsor - Tel : 519-944-0544
infowin@varco.on.ca